

SkinPen[®] Procedure Considerations

PREPARING FOR YOUR SKINPEN PROCEDURE

- The treated area may be pink and mildly inflamed (similar to the appearance of a mild sunburn) for 24-48 hours following your SkinPen procedure.
- 24 hours post-procedure, your provider may advise you to keep your skin clean of cosmetics or sunscreen for the remainder of the day.
- If you are prone to herpes simplex outbreaks, such as cold sores, consult your provider on ways to treat prior or whether the procedure is appropriate for you.
- If your face or treatment area has irritated skin (sunburn, open wounds, sores) the day preceding your appointment, please contact our office before your appointment.
- This procedure may not be performed on active breakouts or open lesions. Please consult your provider prior to your SkinPen procedure to address any such issues.
- Wait at least six months post isotretinoin use before your SkinPen procedure, as isotretinoin use may impair proper wound healing.
- If you have recently used spray or selftanning lotions on treatment areas before your SkinPen procedure, discuss with your provider.
- Avoid sun exposure for 24 hours prior to the procedure.
- Discontinue the use of topical products containing AHAs, Retinol or Vitamin A for 24 hours prior to your SkinPen procedure.
- If you are on autoimmune therapy, ask your provider if the procedure is appropriate for you.


POST SKINPEN PROCEDURE GUIDELINES

The day of the procedure:

- Unexpected complications may occur when products not proven safe for use with microneedling are applied post-procedure.
- Avoid strenuous exercise or excessive perspiration, as excess blood flow and sweat can cause discomfort and irritation to compromised skin for 72 hours.
- Skinfuse[®] Lift HG may be applied additionally the day of the procedure to assist with skin hydration. Re-apply, as needed, up to 24 hours post procedure.
- Strictly avoid sun exposure as you will not be wearing sunscreen. You may return to sunscreen use 24 hours following the procedure. Continue to minimize sun exposure for 72 hours following the procedure.

The days following the procedure:

- Follow the specific skincare regimen provided with your Skinfuse Post-Procedure Protocol.
- Wait at least 7 days post-procedure to begin Surge Collagen Boost.



Intended Use: The SkinPen[®] Precision system is a microneedling device and accessories intended to be used as a treatment to improve the appearance of wrinkles of the neck for Fitzpatrick skin types II - IV and to improve the appearance of facial acne scars in adults with all Fitzpatrick skin types aged 22 years and older. See intended use, important safety information, and clinical trial details (data on file) at crownaesthetics.com.

Crown Aesthetics | 5005 Lyndon B Johnson Fwy Ste 370 | Dallas, TX 75244 | info@crownaesthetics.com | P. 888.372.3982 | F. 972.372.0247 © 2021 Crown Aesthetics. All rights reserved. SkinPen® is a registered trademark of Crown Aesthetics